Accurate Test Labs
1305 NW 65th Pl
Fort Lauderdale, FL 33309

(786) 599-1806
http://accuratetestlab.com

Sonnus D9

Sample ID: 2609AFL1678.5725
Strain: hemp
Matrix: Ingestible
Type: Tincture
Unit Weight: 30 g

Internal Lab ID: ATL-39450

Received: 09/15/2026
Completed: 09/17/2026
Batch#: J01V01

Client
Isospec Health
Lic. #
1090 NE 45th St.
Oakland Park, FL 33334



Summary

Test	Date Tested	Result
Batch		Complete
Cannabinoids	09/17/2026	Complete

Basic Potency - HPLC

Complete

0.253%	ND	3.451%
Total THC	Total CBD	Total Cannabinoids

Analyte	LOD %	LOQ %	Result %	Result mg/unit	Analyte	LOD %	LOQ %	Result %	Result mg/unit
CBDVa	0.007	0.022	ND	ND	CBN	0.007	0.022	1.819	545.70
CBDV	0.007	0.022	ND	ND	Δ9-THC	0.007	0.022	0.253	75.90
CBDa	0.007	0.022	ND	ND	Δ8-THC	0.007	0.022	ND	ND
CBGa	0.007	0.022	ND	ND	(6aR,9S)-d10-THC	0.008	0.024	ND	ND
CBG	0.007	0.022	0.519	155.70	(6aR,9R)-d10-THC	0.008	0.024	ND	ND
CBD	0.007	0.022	ND	ND	CBC	0.007	0.022	0.860	258.00
THCV	0.007	0.022	ND	ND	CBCa	0.007	0.022	ND	ND
Δ8-THCV	0.008	0.024	ND	ND	THCa	0.007	0.022	ND	ND
THCVa	0.007	0.022	ND	ND	**Total**			**3.451**	**1035.30**

Document ID: CoA-1 Potency Rev. 6, Test Method: TM-2
Date Tested: 09/17/2026
Equations: Total Active THC = 9THC + (0.877 * THCA), Total Active CBD = CBD + (0.877 * CBDA), Potency via HPLC

NT	NT	Not Tested
Not Tested	Not Tested	
Document ID:	*Document ID:*	*Document ID:*
Moisture Content	Water Activity	Foreign Matter

Lise Berthe-Laurent
Laboratory Director
09/17/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com

Abbreviations: LOQ = Limit of Quantification, LOD = Limit of Detection, ND = Not Detected, NT = Not Tested, ppm = Parts per Million, ppb = Parts per Billion, CFU/g = Colony Forming Units per Gram.

This report shall not be reproduced without written approval of Accurate Test Labs and results are confidential unless disclosure is explicitly authorized. Results relate only to the samples and batches tested. Test results are for informational purposes only and Accurate Test Labs makes no claims as to the safety or risks associated with this product. Pass/Fail results reflect compliance with applicable federal, state, tribal and local regulations unless otherwise specified. The measurement of uncertainty is not included unless explicitly required by law and is available upon request.